


Magswitch Technology, Inc. 8774 Yates Dr. Suite 140 Westminster, CO 80031 Magswitch.com.au 303-468-0662

Magswitch Mag-Utility Hook 40 P/N: 8100006

The Magswitch Mag-Utility Hook is the perfect "helping hand." Magswitch Mag-Utility Hooks let you hang tools, lights, support wires, air hoses, ground lines and more, right where you need them, quickly and easily. Ideal for keeping hoses and lines off the floor for a safer work environment. Mag-Utility Hooks are convenient and easily move from job to job.










Part Number 110692 Revision Date: June 26, 2012 WARNING! Do Not Operate Unless In Contact With Ferrous Target

SPECIFICATIONS	
P/N: 8100006 - MAGSWITCH Mag-Utility Hook 40	
Max Breakaway*	40 lbs/18 kg
Full Saturation Thickness	1" / 25.4 mm
2:1 Shear Working Load*	28 lbs/12.5 kg
Net Weight	1.8 lbs/0.8 kg
Overall Height	103 mm
Magnetic Pole Footprint	69mm Diameter

* Max Breakaway determined in laboratory environment on 2" thick SAE1018 Steel with surface roughness 63 micro inches. Many factors contribute to the actual breakaway force in each application. Always test the magswitch in each application before deployment. Refer to the magswitch information booklet for more information.







* Max Breakaway determined in laboratory environment on 2" thick SAE1018 Steel with surface roughness 63 micro inches. Many factors contribute to the actual breakaway force in each application. Always test the magswitch in each application before deployment. Refer to the magswitch information booklet for more information.

