


Magswitch Technology, Inc. 8774 Yates Dr. Suite 140 Westminster, CO 80031 Magswitch.com.au 303-468-0662

Magswitch Mini Angle P/N: 8100352


The Magswitch line of Mini Multi Angle workholding magnets offer you more angles in one product than any other magnetic angles. If you're tired of Mini angle magnets that claim they shut off, but really don't, then you'll love Magswitch. Magswitch Mini angles are hassle free. They stay clean for years of use. Once you use Magswitch Mini Angles, you will never settle for anything less!







WARNING! Do Not Operate Unless In Contact With Ferrous Target


SPECIFICATIONS	
P/N: 8100352 - MAGSWITCH Mini Angle	
Max Breakaway*	90 lbs/40 kg
Full Saturation Thickness	11 g / 3.05 mm
Max Safe Shear*	6 lbs / 2.7 kg
Net Weight	0.4 lbs/0.2 kg
Overall Height	55 mm
Magnetic Pole Footprint	59.5 mm x 32 mm



^{*} Max Breakaway determined in laboratory environment on 2" thick SAE1018 Steel with surface roughness 63 micro inches. Many factors contribute to the actual breakaway force in each application. Always test the magswitch in each application before deployment. Refer to the magswitch information booklet for more information.









Part Number 110692 Revision Date: June 26, 2012