

General Catalogue 2023/24



Micro.

ITA **Micro.** è un progetto.

Un progetto aperto e in continuo sviluppo che ricerca l'essenza, il minimo comun denominatore. Cerchiamo l'ergonomia, la sintesi, quella piccola cosa che può cambiare davvero la nostra vita in meglio. Hai presente? Un materiale più leggero e resistente, un rivestimento modellabile, non mettendo mai da parte la bellezza, la comodità e l'uso che ne farai. Collaboriamo con i migliori designer al mondo per portare avanti questo progetto perché ci piace sognare un futuro prossimo dove tutto quello che abbiamo intorno sia così.

ENG **Micro.** is an open project, a work in progress. We search for the essence, the lowest common denominator. We search for ergonomics and synthesis, the little thing that can change our lives for the better. Do you know what we mean? A more lightweight and resistant material, a moldable coat, for example. Beauty, comfort and the use you're going to make of our products is our primary target. We work with the best designers in the world to carry out this project. We dream of a future where all you have around is better than ever.

ITA **Il nostro cuore verde.** Terratinta Group è impegnata ad integrare la sostenibilità nelle proprie attività d'impresa attraverso azioni concrete di miglioramento ambientale, sociale e di governance. L'azienda ha sviluppato un approccio strategico al tema a partire dal 2019 con il progetto CHANGE, per poi strutturare un percorso evolutivo che l'ha portata ad adottare la forma giuridica di Società Benefit (SB) e a definire un preciso set di obiettivi di miglioramento descritti nel nostro Report di Sostenibilità.

Dal 2020 l'azienda ha raggiunto il traguardo della Carbon Neutrality, compensando le emissioni climalteranti dirette ed indirette energetiche.

Dopo un approfondito processo di analisi delle performance aziendali portato avanti nel corso degli ultimi 3 anni da parte di BLab, Terratinta Group ha ottenuto la Certificazione B Corp. Le aziende B Corp sono realtà che si impegnano volontariamente a rispettare elevati standard di trasparenza e sostenibilità per migliorare e certificare il proprio impatto positivo verso l'ambiente, gli stakeholders, i lavoratori e la comunità per dare vita a un'economia più inclusiva e sostenibile. Terratinta Group vuole farsi portavoce di questo modo di fare impresa con un'attitudine positiva, con esempi concreti e piccole azioni quotidiane. L'impegno di Terratinta Group non si limita a generare profitto per l'azienda, ma aspira a perseguire il bene comune dei principali portatori di interesse dell'azienda stessa: i fornitori, i dipendenti, i clienti, la comunità. Infine, un tema cardine per Terratinta Group rimane sempre il welfare aziendale: un'attenzione particolare rivolta ai propri collaboratori e alla realizzazione di un equilibrio tra vita lavorativa e vita privata, coinvolgendo la squadra di lavoro in programmi di tutela della salute a riprova di un progetto che guarda al futuro.

ENG **Our green heart.** Terratinta Group is committed to integrating Sustainability approaches in its business activities through tangible actions of environmental, social and governance improvement. The company developed a strategic approach to the issue starting in 2019 with the CHANGE project and then built an evolution path that led it to adopt the legal form of a Benefit Company (SB) and to define a detailed set of improvement targets, described in our Sustainability Report. Since 2020, the company has also achieved Carbon Neutrality, compensating for direct and indirect energy greenhouse gas emissions.

After an in-depth process of corporate performance analysis carried out over the last three years by B Lab, Terratinta Group has obtained the B Corp Certification. B Corp companies are realities that voluntarily commit to comply with high standards of transparency and sustainability to improve and certify their positive impact on the environment, stakeholders, workers and the community to create a more inclusive and sustainable economy. Terratinta Group wants to be a spokesperson for this way of doing business with a positive attitude, concrete examples and small daily actions.

Terratinta Group's commitment is not limited to generating profit for the company but aspires to pursue the common good of the company's main stakeholders: suppliers, employees, customers, and the community. Lastly, a pivotal theme for Terratinta Group always remains corporate welfare: a special focus on its employees and on achieving a work-life balance, involving the work team in health protection programs as proof of a project that looks to the future.

General Catalogue 2023

3D Forms Cross

Design Paolo Cappello e Simone Sabatti

010

3D Forms Fluted

Design D-Segno Studio

018

Typic

Design D-Segno Studio

026

Cluster

Design D-Segno Studio

036

Joint

Design Roberto Cicchinè

052

Familiar

Design Roberto Cicchinè

064

Perlinato

Design Roberto Cicchinè

076

Microtiles

Design Roberto Cicchinè / Giampaolo Benedini

090


Micropapers

Design Roberto Cicchinè

134

Micromosaics

148



3D Forms

Cross & Fluted collections

Design
D-Segno Studio

ITA 3D Forms raggruppa le nuove collezioni di piastrelle tridimensionali di Micro. Le prime due proposte sono “Cross” e “Fluted”, che permettono di giocare con la direzione della posa per creare una moltitudine di patterns in una ripetizione continua o in infinite combinazioni, consentendo di esprimersi con flessibilità e individualità. Una raccolta di proposte che celebra il movimento, i volumi e i colori, declinata nelle 13 tonalità cromatiche del progetto.

ENG 3D Forms bring together Micro.’s new three-dimensional tile collections. The first two proposals are ‘Cross’ and ‘Fluted’, which allow you to play with the direction of laying to create a multitude of patterns in a continuous repetition or infinite combinations, allowing for flexibility and individuality. A collection of designs celebrating movement, volume and colour, declined in the 13 colour shades of the project.

Cross handmade



ITA Cross: una collezione di quadrati 10x10 in pasta bianca nei 13 colori Micro. che porta sulla superficie la contaminazione tridimensionale, trasformando la forma più tradizionale in un'esperienza sensoriale dove gli spessori diversi, i bordi e le ombre creano giochi geometrici in rilievo con combinazioni cromatiche quasi infinite.

ENG Cross: a collection of 10x10 white-body squares in the 13 Micro. colours that bring three-dimensional contamination to the surface, transforming the most traditional shape into a sensorial experience where different thicknesses, edges and shadows create geometric relief effects with almost infinite colour combinations.






012

General Catalogue 2023

Cross
Mud

Cluster
White




013

Micro.

Familiar
Grey mix

Cross
Coffee



014

General Catalogue 2023

Cross
White



Micro.


Cross
Graphite

015

CROSS handmade

10x10 cm / 4x4 inches

Design
Paolo Cappello
Simone Sabatti



MI3DCR01
White



MI3DCR02
Sand



MI3DCR03
Dust



MI3DCR04
Grey



MI3DCR05
Mud



MI3DCR06
Mou



MI3DCR07
Black



MI3DCR08
Coffee



MI3DCR09
Graphite



MI3DCR10
Azure




MI3DCR11
Terracotta




MI3DCR12
Cotto




MI3DCR13
Klinker



Random




Ordered



Damier

CROSS handmade



STUCCO
CONSIGLIATO
SUGGESTED
GROUT

MI3DCR01	White	102	
MI3DCR02	Sand	205	
MI3DCR03	Dust	110	
MI3DCR04	Grey	215	
MI3DCR05	Mud	120	
MI3DCR06	Mou	225	
MI3DCR07	Black	140	
MI3DCR08	Coffee	232	
MI3DCR09	Graphite	130	
MI3DCR10	Azure	105	
MI3DCR11	Terracotta	110	
MI3DCR12	Cotto	110	
MI3DCR13	Klinker	110	

Fluted



ITA Fluted è un elemento di design decorativo che accosta cromie e forme 3d. Una collezione di piastrelle in pasta bianca che dona al rivestimento la sua sinfonia di 13 colori avvolgenti che garantiscono continuità visiva.

ENG Fluted is a decorative design element that combines colours and 3D shapes. A collection of white-body tiles that gives the wall covering its symphony of 13 all-embracing colours that guarantee visual continuity.





General Catalogue 2023

Fluted
Sand

020



Micro.

Fluted
Graphite

021





General Catalogue 2023

Fluted
White

022



Micro.





Microtiles Scheme Ancient
White/Black/Terracotta

Fluted
Terracotta

023

Fluted

10x30 cm / 4x12 inches



Vertical Vertical Horizontal

Fluted



STUCCO
CONSIGLIATO
SUGGESTED
GROUT

MI3DFL01	White	102	
MI3DFL02	Sand	205	
MI3DFL03	Dust	110	
MI3DFL04	Grey	215	
MI3DFL05	Mud	120	
MI3DFL06	Mou	225	
MI3DFL07	Black	140	
MI3DFL08	Coffee	232	
MI3DFL09	Graphite	130	
MI3DFL10	Azure	105	
MI3DFL11	Terracotta	110	
MI3DFL12	Cotto	110	
MI3DFL13	Klinker	110	



Typic

Design
D-Segno Studio

ITA Typic è un progetto che trae ispirazione dal mondo dell'artigianato. Una superficie “perfettamente imperfetta” che combina vecchio e nuovo, tradizionale e sperimentale. Quadrati colorati compongono quinte a rivestimento che riflettono una nuova percezione degli spazi che abbiamo intorno: la parola d'ordine è flessibilità, le stanze diventano spazi programmabili per servire a molteplici scopi. Il risultato compositivo offre superfici colorate che esprimono atmosfere diverse creando molteplici combinazioni nei 13 toni cromatici del progetto.

ENG Typic is a project that draws inspiration from the world of craftsmanship. A “perfectly imperfect” surface that is the result of a montage of influences: old and new, traditional and experimental. Coloured squares make up wall panels that reflect a new perception of the surrounding space: the watchword is “flexibility”, the rooms become programmable spaces to serve multiple purposes. The compositional result offers coloured surfaces that express different atmospheres by creating multiple combinations in the 13 chromatic tones of the project.



Discover more
SCOPRI DI PIÙ



Typic
Graphite

Cluster
Dust

028



Micro.

Typic
White

Cluster
White


029



Typic
Azure

Joint
Graphite

030




Micro.

Joint
White

Typic
Grey

031




Typic
Black

Familiar
Grey mix

Perlinato
Sand

032



Micro.

Typic
Terracotta

Familiar
Terracotta mix

033

Typic

10x10 cm / 4x4 inches



MITY01
White



MITY02
Sand



MITY03
Dust




MITY04
Grey



MITY05
Mud




MITY06
Mou



MITY07
Black



MITY08
Coffee



MITY09
Graphite




MITY10
Azure



MITY11
Terracotta



MITY12
Cotto




MITY13
Klinker

Typic

STUCCO
CONSIGLIATO
SUGGESTED
GROUT

MITY01	White	102	
MITY02	Sand	205	
MITY03	Dust	110	
MITY04	Grey	215	
MITY05	Mud	120	
MITY06	Mou	225	
MITY07	Black	140	
MITY08	Coffee	232	
MITY09	Graphite	130	
MITY10	Azure	105	
MITY11	Terracotta	110	
MITY12	Cotto	110	
MITY13	Klinker	110	



Cluster

Design
D-Segno Studio

ITA Cluster nasce ispirandosi alla palladiana veneziana tradizionale formata da scaglie di marmi pregiati, tra cui il Marmo di Carrara. Un prodotto che rientra tra i macro trends che stanno vivendo un'onda lunga: il terrazzo. Innovativo è sicuramente l'aspetto grafico, con le tessere solitamente “spigolose” che si fanno più organiche, diventano ciottoli che vanno a posizionarsi in maniera casuale sulla base conferendogli un' estetica più contemporanea. La collezione si sviluppa in 120x120 e 60x120 e in quattro toni cromatici abbinabili ai 13 colori del progetto Micro. che esplorano la gamma dei neutri partendo dal bianco per arrivare fino al Graphite.

ENG Cluster is inspired by the traditional Venetian Palladiana made of chips of precious marble, including the Carrara Marble. A product that is part of those macro trends that are experiencing a long wave: the terrazzo. The graphic aspect is certainly innovative with the usually “angular” tesserae that are now more organic, becoming pebbles that are randomly placed on the base, giving it a more contemporary look. The collection is developed in sizes 120x120 and 60x120 and in four colour tones that can be matched with the 13 colours of the Micro. project which explores the range of neutrals starting from White to reach Graphite.



Discover more
SCOPRI DI PIÙ





Cluster
Graphite

040




Micro.

Cluster
White/Dust

041



Cluster White



120x120 **MICLU01120N**
White

STUCCO
CONSIGLIATO
SUGGESTED
GROUT

210

Cluster

120x120 cm / 48x48 inches
60x120 cm / 24x48 inches
rettificato / rectified




120X120 **MICLU01120N**
White



60X120 **MICLU01612N**
White

Cluster Dust




120x120 **MICLU03120N**
Dust

STUCCO
CONSIGLIATO
SUGGESTED
GROUT

215

Cluster

120x120 cm / 48x48 inches
60x120 cm / 24x48 inches
rettificato / rectified




120x120 **MICLU03120N**
Dust



60x120 **MICLU03612N**
Dust

Cluster Cotto




120x120 **MICLU12120N**
Cotto

STUCCO
CONSIGLIATO
SUGGESTED
GROUT


110

Cluster

120x120 cm / 48x48 inches
60x120 cm / 24x48 inches
rettificato / rectified




120x120 **MICLU12120N**
Cotto



60x120 **MICLU12612N**
Cotto

Cluster Graphite




120x120 **MICLU09120N**
Graphite

STUCCO
CONSIGLIATO
SUGGESTED
GROUT


125

Cluster

120x120 cm / 48x48 inches
60x120 cm / 24x48 inches
rettificato / rectified



120x120 **MICLU09120N**
Graphite



60x120 **MICLU09612N**
Graphite



Joint

Design
Roberto Cicchinè

ITA Un listello rettangolare in grès nei 13 colori Micro. disegna, attraverso molteplici schemi di posa, pavimentazioni e rivestimenti. Utilizzato nei mix cromatici oppure nelle tinte unite, Joint crea atmosfere differenti che si adattano ai vari stili ed ambienti dell'abitare. Uno studio accurato sulle fughe e l'utilizzo di stucchi dai colori abbinabili crea un'ulteriore opportunità estetica che acquista quel sapore senza tempo caro alle collezioni Micro.

ENG A porcelain stoneware rectangular listel in the 13 Micro. colours, designs floor and wall coverings through a variety of laying patterns. Used in chromatic mixes rather than solid colours, Joint creates different atmospheres that adapt to the various living styles and environments. A careful study of the joints and the use of sealant in matching colours creates an additional aesthetic opportunity that acquires that timeless flavour so dear to the Micro collections.




Discover more
SCOPRI DI PIÙ



General Catalogue 2023
Perlinato Graphite
Small Board Graphite / Large Board Graphite

Joint
Graphite

054




Micro. Familiar White Large
Colors. White/Sand/Dust/Azure/Mou

Joint
Terracotta


Kitchen. Very Simple Kitchen

055



Micro.

Joint
Black



Joint
White

General Catalogue 2023

058




Micro.

Joint Seventies Graphite
Graphite/Grey/Black/Coffee/Klinker

059


Joint

7x28 cm / 3x11 inches




STUCCO CONSIGLIATO SUGGESTED GROUT		
MIJNT01	Joint White	102
MIJNT02	Joint Sand	205
MIJNT03	Joint Dust	110
MIJNT04	Joint Grey	215
MIJNT05	Joint Mud	120
MIJNT06	Joint Mou	225
MIJNT07	Joint Black	140
MIJNT08	Joint Coffee	232
MIJNT09	Joint Graphite	130
MIJNT10	Joint Azure	105
MIJNT11	Joint Terracotta	110
MIJNT12	Joint Cotto	110
MIJNT13	Joint Klinker	110


Joint Mix




MIJNT01
Joint White
Colors. White 100%




MIJNT11
Joint Terracotta
Colors. Terracotta 100%




MIJNT04
Joint Grey
Colors. Grey 100%




MIJNT09
Joint Graphite
Colors. Graphite 100%




MIJNTMXL01
Joint White Light Mix
Colors. White 91%
Sand 3%
Mou 3%
Azure 3%



MIJNTMXL11
Joint Terracotta Light Mix
Colors. Terracotta 91%
Dust 3%
Cotto 3%
Klinker 3%




MIJNTMXL04
Joint Grey Light Mix
Colors. Graphite 91%
Grey 3%
Black 3%
Coffee 3%




MIJNTMXL09
Joint Graphite Light Mix
Colors. Graphite 91%
Grey 3%
Black 3%
Coffee 3%


Joint Mix




MIJNTMXM01
Joint White Medium Mix
Colors. White 61,5%
Sand 12,5%
Mou 12,5%
Azure 12,5%




MIJNTMXM11
Joint Terracotta Medium Mix
Colors. Terracotta 61,5%
Dust 12,5%
Cotto 12,5%
Klinker 12,5%




MIJNTMXM04
Joint Grey Medium Mix
Colors. Grey 61,5%
Mud 12,5%
Mou 12,5%
Coffee 12,5%




MIJNTMXM09
Joint Graphite Medium Mix
Colors. Graphite 61,5%
Grey 12,5%
Black 12,5%
Coffee 12,5%




MIJNTMXS01
Joint White Strong Mix
Colors. White 25%
Sand 25%
Mou 25%
Azure 25%



MIJNTMXS11
Joint Terracotta Strong Mix
Colors. Terracotta 25%
Dust 25%
Cotto 25%
Klinker 25%




MIJNTMXS04
Joint Grey Strong Mix
Colors. Grey 25%
Mud 25%
Mou 25%
Coffee 25%




MIJNTMXS09
Joint Graphite Strong Mix
Colors. Graphite 25%
Grey 25%
Black 25%
Coffee 25%


Joint Seventies



MIJNT70.01
Joint Seventies White
Colors. White 20%
Sand 20%
Dust 20%
Terracotta 20%
Azure 20%



MIJNT70.04
Joint Seventies Grey
Colors. Grey 20%
Mud 20%
Mou 20%
Terracotta 20%
Cotto 20%



MIJNT70.09
Joint Seventies Graphite
Colors. Graphite 20%
Mud 20%
Black 20%
Coffee 20%
Klinker 20%

STUCCO
CONSIGLIATO
SUGGESTED
GROUT


102

STUCCO
CONSIGLIATO
SUGGESTED
GROUT

110

STUCCO
CONSIGLIATO
SUGGESTED
GROUT

215



Familiar

Design
Roberto Cicchinè

ITA **Familiar** è un progetto che nasce dal desiderio di confrontarsi con il mondo delle “graniglie”. Il grande rispetto che la filosofia Micro. ha verso le materie naturali ha portato a realizzare un prodotto che si distanzia volutamente dalla simulazione dell’originale. L’utilizzo di un filtro digitale dona alla superficie un sapore fortemente contemporaneo mantenendo vivo il ricordo del prodotto autentico. Le quattro tipologie di superfici realizzate con diverse granulometrie su 4 toni cromatici abbinabili ai 13 colori del progetto Micro. permettono un utilizzo versatile del prodotto, dal rimando elegante e più classico del monotinta sino alla giocosità della proposta mix.

ENG **Familiar** is a project born from the desire to deal with the world of “grits”. The great respect that Micro. philosophy has towards natural materials has led to the realization of a product that deliberately distances itself from the imitation of the original. The use of a digital filter gives the surface a highly contemporary flavour while keeping alive the memory of the authentic product. The four types of surfaces are realized with different granulometry on 4 chromatic tones which can be combined with the 13 colours of Micro., allowing a versatile use of the product, from the elegant and classic evenness of the plain colour up to the playfulness of the mix proposal.



Discover more
SCOPRI DI PIÙ




Familiar White Medium
White/Sand/Dust/Azure/Mou

General Catalogue 2023

Microtiles Spiral White
5x5 - 5x10

066



Familiar
White Mix
White/Sand/Dust/Azure/Mou

Micro.


067



Familiar Grey Mix
Dust/Grey/Mud/Coffee/Black

Microtiles Blends x4
Grey 10x10

068



Micro.

Familiar
Grey Small
Dust/Grey/Mud/Coffee/Black

069



Familiar
Graphite Medium
Dust/Mud/Graphite/Coffee/Black

070


Micro.



Familiar
Terracotta Large
White/Terracotta/Cotto/Klinker

071

Familiar White



MIFA01
Familiar White

MIFAS01
Familiar White Small

MIFAM01
Familiar White Medium

MIFAL01
Familiar White Large




MIFAX01
Familiar White Mix
Colors. White/Sand/Dust/Azure/Mou

STUCCO
CONSIGLIATO
SUGGESTED
GROUT

110

Familiar Terracotta




MIFA11
Familiar Terracotta

MIFAS11
Familiar Terracotta
Small

MIFAM11
Familiar Terracotta
Medium

MIFAL11
Familiar Terracotta
Large




MIFAX11
Familiar Terracotta Mix
Colors. White/Terracotta/Cotto/Klinker

STUCCO
CONSIGLIATO
SUGGESTED
GROUT

110


Familiar Grey




MIFAG04
Familiar Grey




MIFAS04
Familiar Grey Small



MIFAM04
Familiar Grey Medium



MIFAL04
Familiar Grey Large



MIFAX04
Familiar Grey Mix
Colors. Dust/Grey/Mud/Coffee/Black

STUCCO
CONSIGLIATO
SUGGESTED
GROUT


215

074


Familiar Graphite




MIFA09
Familiar Graphite




MIFAS09
Familiar Graphite Small



MIFAM09
Familiar Graphite Medium



MIFAL09
Familiar Graphite Large




MIFAX09
Familiar Graphite Mix
Colors. Dust/Mud/Graphite/Coffee/Black

STUCCO
CONSIGLIATO
SUGGESTED
GROUT

125

075



Perlinato

Design
Roberto Cicchinè

ITA Perlinato è un progetto che si ispira alle superfici in legno tipiche in edilizia particolarmente utilizzate negli anni '70 come rivestimenti decorativi. Doghe ceramiche create per trafile e realizzate con maschiature sui lati lunghi permettono l'incastro degli elementi a creare una superficie monolitica senza l'utilizzo dello stucco tra una doga e l'altra. Prendendo in prestito dall'originale il sapore démodé, questo perlinato ceramico, con l'aiuto di elementi angolari e di chiusura, decora pareti con zoccolature o campiture piene nei vari ambienti della casa. L'utilizzo nei 13 toni cromatici rafforza la capacità del progetto di adattarsi a molteplici atmosfere da creare e condividere con le altre collezioni del progetto Micro.

ENG Perlinato is a project inspired by the typical wooden surfaces characteristic of construction, particularly used in the '70s as decorative coverings. Ceramic slats created through a die and made with tapping on the long sides allow the joints of the elements to create a monolithic surface without the use of grout between one slat and the other. Borrowing the old-fashioned flavour from the original inspiration, this ceramic Perlinato (matchboarding), with the help of angular elements and closure, decorates walls with plinths or full coverings in the various spaces of the house. The use of the 13 chromatic tones reinforces the ability of the project to adapt to multiple atmospheres to be created and shared with the other Micro.'s collections.




Discover more
SCOPRI DI PIÙ



Familiar Terracotta Medium
White/Terracotta
Cotto/Klinker

Perlinato Klinker
Small Board Klinker
Large Board Klinker

078



Micro. Familiar Grey Large
Dust/Grey/Mud/Coffee/Black

Perlinato Graphite
Small Board Graphite

Micropapers Blends
Graphite/Joint Mud

079



Familiar Graphite Mix
Dust/Mud/Graphite/Coffee/Black

Perlinato
Black

080



Familiar White Mix
White/Sand/Dust/Azure/Mou
Micro.

Perlinato Dust
Small Board Mou / Large Board Mou

Microminerals
Mud

081



General Catalogue 2023
Perlinato
Klinker
Small Board Klinker

Micropapers
Oddfellow Mix
Grey/Mud/Klinker

082



Micro.

Perlinato White
Perlinato Small Board White
Perlinato Large Board White

083



Perlinato Graphite
Small Board Graphite
Large Board Graphite

Micropapers
Grid x4 Black/Joint
Graphite

084




Micro.

Perlinato
Azure

085

Perlinato

7,5x100 cm / 3x40 inches



STUCCO
CONSIGLIATO
SUGGESTED
GROUT

MIPE01 Perlinato White

102



MIPE02 Perlinato Sand

205



MIPE03 Perlinato Dust

110



MIPE04 Perlinato Grey

215



MIPE05 Perlinato Mud

120



MIPE06 Perlinato Mou

225



MIPE07 Perlinato Black

140



MIPE08 Perlinato Coffee

232



MIPE09 Perlinato Graphite

130



MIPE10 Perlinato Azure

105



MIPE11 Perlinato Terracotta

110



MIPE12 Perlinato Cotto

110




MIPE13 Perlinato Klinker

110



Perlinato Small Board

7x100 cm / 3x40 inches



MIPES01 Perlinato Small Board White

MIPES02 Perlinato Small Board Sand

MIPES03 Perlinato Small Board Dust

MIPES04 Perlinato Small Board Grey

MIPES05 Perlinato Small Board Mud

MIPES06 Perlinato Small Board Mou

MIPES07 Perlinato Small Board Black

MIPES08 Perlinato Small Board Coffee

MIPES09 Perlinato Small Board Graphite

MIPES10 Perlinato Small Board Azure


MIPES11 Perlinato Small Board Terracotta

MIPES12 Perlinato Small Board Cotto

MIPES13 Perlinato Small Board Klinker

Perlinato Large Board

17x100 cm / 7x40 inches



MIPEL01 Perlinato Large Board White

MIPEL02 Perlinato Large Board Sand

MIPEL03 Perlinato Large Board Dust

MIPEL04 Perlinato Large Board Grey

MIPEL05 Perlinato Large Board Mud

MIPEL06 Perlinato Large Board Mou

MIPEL07 Perlinato Large Board Black

MIPEL08 Perlinato Large Board Coffee

MIPEL09 Perlinato Large Board Graphite

MIPEL10 Perlinato Large Board Azure


MIPEL11 Perlinato Large Board Terracotta

MIPEL12 Perlinato Large Board Cotto

MIPEL13 Perlinato Large Board Klinker


Perlinato Small Corner

7 cm / 3 inches




Perlinato Large Corner

17 cm / 7 inches




Perlinato Corner

100 cm / 40 inches



Perlinato Border

3,5x100 / 1,5x7 inches



MIPESC01 Perlinato Small Corner White

MIPESC02 Perlinato Small Corner Sand

MIPESC03 Perlinato Small Corner Dust

MIPESC04 Perlinato Small Corner Grey

MIPESC05 Perlinato Small Corner Mud

MIPESC06 Perlinato Small Corner Mou

MIPESC07 Perlinato Small Corner Black

MIPESC08 Perlinato Small Corner Coffee

MIPESC09 Perlinato Small Corner Graphite

MIPESC10 Perlinato Small Corner Azure

MIPESC11 Perlinato Small Corner Terracotta

MIPESC12 Perlinato Small Corner Cotto

MIPESC13 Perlinato Small Corner Klinker

MIPELC01 Perlinato Large Corner White

MIPELC02 Perlinato Large Corner Sand

MIPELC03 Perlinato Large Corner Dust

MIPELC04 Perlinato Large Corner Grey

MIPELC05 Perlinato Large Corner Mud

MIPELC06 Perlinato Large Corner Mou

MIPELC07 Perlinato Large Corner Black

MIPELC08 Perlinato Large Corner Coffee

MIPELC09 Perlinato Large Corner Graphite

MIPELC10 Perlinato Large Corner Azure

MIPELC11 Perlinato Large Corner Terracotta

MIPELC12 Perlinato Large Corner Cotto

MIPELC13 Perlinato Large Corner Klinker

MIPEC01 Perlinato Corner White

MIPEC02 Perlinato Corner Sand

MIPEC03 Perlinato Corner Dust

MIPEC04 Perlinato Corner Grey

MIPEC05 Perlinato Corner Mud

MIPEC06 Perlinato Corner Mou

MIPEC07 Perlinato Corner Black

MIPEC08 Perlinato Corner Coffee

MIPEC09 Perlinato Corner Graphite

MIPEC10 Perlinato Corner Azure

MIPEC11 Perlinato Corner Terracotta

MIPEC12 Perlinato Corner Cotto

MIPEC13 Perlinato Corner Klinker

MIPECSR01.AB Perlinato Border White

MIPECSR02.AB Perlinato Border Sand

MIPECSR03.AB Perlinato Border Dust

MIPECSR04.AB Perlinato Border Grey

MIPECSR05.AB Perlinato Border Mud

MIPECSR06.AB Perlinato Border Mou

MIPECSR07.AB Perlinato Border Black

MIPECSR08.AB Perlinato Border Coffee

MIPECSR09.AB Perlinato Border Graphite

MIPECSR10.AB Perlinato Border Azure

MIPECSR11.AB Perlinato Border Terracotta

MIPECSR12.AB Perlinato Border Cotto

MIPECSR13.AB Perlinato Border Klinker

Microtiles

ITA Mattonelle di piccole dimensioni disegnano, con trame e colori, infinite suggestioni. Pareti e pavimenti accolgono forme semplici sospese tra memoria e presente.



ENG Small tiles draw infinite suggestions with textures and colours. Walls and floors welcome simple shapes suspended between memory and present.




Microtiles

Dimensions



Microtiles

Dimensions




Microtiles

Color Palette



Schemes





ristorante




progetto / project
Plecoo Design Studio



progetto / project
Design? Studio Associato



102





Micro.

Scheme: Spiral
White

105



Micro.




Scheme: Knit
White/Sand/Dust



Scheme: Plaid Mix
White/Dust/Azure


108





Scheme: Offset Mix
Dust/Mou/Azure


110






Micro.

Scheme: Old Mix
Azure/Terracotta




Micro.

Scheme: Basket
Color: Cotto



Scheme: Rough Mix
Grey/Klinker



Scheme: Grid Campiture Mix
White/Sand/Dust/Azure

118






Micro.

Scheme: Oddfellow Mix
Terracotta/Cotto/Klinker



Micro.

Scheme: Double Mix
Dust/Mud/Black



Scheme: Blends x4
Terracotta

124





Scheme: Herringbone Mix
Mud/Graphite


126





Micro.

Scheme: Modern Mix
Mud/Coffee/Graphite





Micro.


Scheme: Ancient Mix
Black/Coffee/Graphite





Scheme: Glaze Mix
Grey


132




Micropapers

ITA Trame geometriche di piccole dimensioni disegnano sulla carta suggestioni colorate.

ENG Small geometric textures draw colourful suggestions on paper.






Micro.

Scheme: Spiral
White/Joint Sand

137



Scheme: Offset
Azure/Joint Mou



Micro.

Scheme: Modern
Coffee/Joint Black

141




Micro.

Scheme: Ancient
Black/Joint Coffee

143


Micropapers



Spiral
48 x 300 cm
19 x 118 inches



MP01J02.901
Spiral
White/Joint Sand




MPX01J02.901
Spiral x4
White/Joint Sand




MPS02R01.901
Spiral Mix
White/Sand


Micropapers



Subway
48 x 300 cm
19 x 118 inches




MP06J10.905
Subway
Mou/Joint Terracotta




MPX06J10.905
Subway x4
Mou/Joint Terracotta




MPRO6R10R11.905
Subway Mix
Mou/Azure/Terracotta




Knit
48 x 300 cm
19 x 118 inches




MP02J03.902
Knit
Sand/Joint Dust




MPX02J03.902
Knit x4
Sand/Joint Dust




MPS02S03R01R02.902
Knit Mix
White/Sand/Dust



Old
48 x 300 cm
19 x 118 inches




MP10J11.906
Old
Terracotta/Joint Cotto




MPX10J11.906
Old x4
Terracotta/Joint Cotto




MPD10R11.906
Old Mix
Azure/Terracotta




Plaid
48 x 300 cm
19 x 118 inches




MP03J10.903
Plaid
Dust/Joint Azure




MPX03J10.903
Plaid x4
Dust/Joint Azure




MPS03S10R02R10.903
Plaid Mix
Sand/Dust/Azure



Basket
48 x 300 cm
19 x 118 inches




MP11J13.907
Basket
Cotto/Joint Klinker




MPX11J12.907
Basket x4
Cotto/Joint Terracotta




MPRO6R12R13.907
Basket Mix
Mou/Cotto/Klinker




Offset
48 x 300 cm
19 x 118 inches




MP10J06.904
Offset
Azure/Joint Mou




MPX10J06.904
Offset x4
Azure/Joint Mou




MPD03D06S10R10.904
Offset Mix
Dust/Mou/Azure




Oddfellow
48 x 300 cm
19 x 118 inches



MP13J04.908
Oddfellow
Klinker/Joint Grey




MPX13J04.908
Oddfellow x4
Klinker/Joint Grey




MPD05S04S13.908
Oddfellow Mix
Grey/Mud/Klinker

Micropapers




Rough
48 x 300 cm
19 x 118 inches




MP04J05.909
Rough
Grey/Joint Mud




MPX04J05.909
Rough x4
Grey/Joint Mud




MPD05S04S13.908
Rough Mix
Mud/Klinker



Double
48 x 300 cm
19 x 118 inches




MP05J09.910
Double
Mud/Joint Graphite



MPX05J09.910
Double x4
Mud/Joint Graphite



MPD04D05S09.910
Double Mix
Grey/Mud/Graphite



Herringbone
48 x 300 cm
19 x 118 inches




MP09J08.911
Herringbone
Graphite/Joint Coffee



MPX09J08.911
Herringbone x4
Graphite/Joint Coffee



MPR08R09.911
Herringbone Mix
Coffee/Graphite




Modern
48 x 300 cm
19 x 118 inches



MP08J07.912
Modern
Coffee/Joint Black




MPX08J07.912
Modern x4
Coffee/Joint Black




MPS08S09R05R08.912
Modern Mix
Grey/Coffee/Graphite

Micropapers



Ancient
48 x 300 cm
19 x 118 inches




MP07J08.913
Ancient
Black/Joint Coffee




MPX07J08.913
Ancient x4
Black/Joint Coffee




MPD09R07R08.913
Ancient Mix
Black/Coffee/Graphite




Grid
48 x 300 cm
19 x 118 inches




MP07J09.915
Grid
Black/Joint Graphite




MPX07J09.915
Grid x4
Black/Joint Graphite




MPR04R05R07R09.915
Grid Mix
Grey/Mud/Black/Graphite



Blends
48 x 300 cm
19 x 118 inches



MP09J05.05
Blends
Graphite/Joint Mud



MPX09J05.14
Blends x4
Graphite/Joint Mud



MPS07S08S09.20
Blends Mix
Black/Coffee/Graphite

Micromosaics

ITA Pensieri e creatività differenti producono superfici senza tempo con piccole tessere colorate.

ENG Different thoughts and creativity produce coloured surfaces with small, timeless surfaces.





Micro.



Micromosaics
Sand



Micromosaics
Black


152





Micro.

Micromosaics
Alea Mix Clay








Micromosaics
Micro-bricks

Scheme: Pavement
Color: Red

160






Micro.

Micromosaics
Azure




Micromosaics
Graphite

164



Micromosaics


Matt



30 x 30 cm
12 x 12 inches




IF010
White




IF020
Sand



IF300
Dust



IF040
Grey



IF500
Mud



IF600
Mou



IF070
Black



IF800
Coffee



IF090
Graphite



IF100
Azure



IF011
Terracotta




IF012
Cotto



IF013
Klinker

Micromosaics

Mix




Mix
30 x 30 cm
12 x 12 inches



IF1310
White/Dust/Azure



IF11213
Terracotta/Cotto/Klinker




IF789
Graphite/Coffee/Black



IF1356
White/Dust/Mud/Mou



IF124
White/Sand/Grey



IF147
White/Grey/Black



IF345
Dust/Grey/Mud



IF456
Grey/Mud/Mou




IF578
Mud/Black/Coffee

Glossy



Glossy
30 x 30 cm
12 x 12 inches



IF004
Silver



IF005
Bronze



IF006
Nickel




IF008
Gold



IF009
Red

Micromosaics


Alea



Alea Penna
30 x 30 cm
12 x 12 inches



ALP10
Alea Penna
Bone




ALP60
Alea Penna
Clay




ALP70
Alea Penna
Smoke




ALP167
Alea Mix
Penna




Alea Quadro
30 x 30 cm
12 x 12 inches




ALQ10
Alea Quadro
Bone




ALQ60
Alea Quadro
Clay




ALQ70
Alea Quadro
Smoke




ALQ167
Alea Mix
Quadro




Alea Tondo
30 x 30 cm
12 x 12 inches




ALT10
Alea Tondo
Bone



ALT60
Alea Tondo
Clay



ALT70
Alea Tondo
Smoke




ALT167
Alea Mix
Tondo



ALM100
Alea Mix
Bone




ALM600
Alea Mix
Clay



ALM700
Alea Mix
Smoke


Micromosaics Micro-brick




Micro-brick Line
30 x 30 cm
12 x 12 inches



MBL10
Micro-brick Line
White




MBL30
Micro-brick Line
Ice



MBL50
Micro-brick Line
Mud




MBL80
Micro-brick Line
Coffee



MBL90
Micro-brick Line
Red

Ring



Micro-brick Ring
30 x 30 cm
12 x 12 inches



MBR10
Micro-brick Ring
White




MBR30
Micro-brick Ring
Ice



MBR50
Micro-brick Ring
Mud




MBR80
Micro-brick Ring
Coffee




MBR90
Micro-brick Ring
Red

Micromosaics Micro-brick


Nod




Micro-brick Nod
30 x 30 cm
12 x 12 inches




MBN10
Micro-brick Nod
White




MBN30
Micro-brick Nod
Ice



MBN50
Micro-brick Nod
Mud




MBN80
Micro-brick Nod
Coffee



MBN90
Micro-brick Nod
Red

Micromosaics Micro-brick

Pavement



Micro-brick Pavement
30 x 30 cm
12 x 12 inches



MBP10
Micro-brick Pavement
White



MBP30
Micro-brick Pavement
Ice



MBP50
Micro-brick Pavement
Mud




MBP80
Micro-brick Pavement
Coffee



MBP90
Micro-brick Pavement
Red


CROSS



Micro-brick Cross
30 x 30 cm
12 x 12 inches



MBC10
Micro-brick Cross
White




MBC30
Micro-brick Cross
Ice



MBC50
Micro-brick Cross
Mud



MBC80
Micro-brick Cross
Coffee



MBC90
Micro-brick Cross
Red

3D Forms - CROSS handmade

Caratteristiche tecniche
Technical features

Typic

Caratteristiche tecniche
Technical features

P
PIASTRELLE DA RIVESTIMENTO IN PASTA BIANCA
WHITE-BODY WALL TILES



ISO 10545/11 - RESISTENZA AL CAVILLO
ISO 10545/11 - GLAZE CRAZING RESISTANCE

Resistente | Resistance

ISO 10545/3 - ASSORBIMENTO ACQUA
ISO 10545/3 - WATER ABSORPTION
> 10%

ISO 10545/13 - RESISTENZA ALL'ATTACCO CHIMICO
ISO 10545/13 - RESISTANCE TO ACIDS AND ALKALIS
Conforme | Compliant

P
PIASTRELLE DA RIVESTIMENTO IN PASTA BIANCA
WHITE-BODY WALL TILES



ISO 10545/11 - RESISTENZA AL CAVILLO
ISO 10545/11 - GLAZE CRAZING RESISTANCE

Resistente | Resistant

ISO 10545/2 - DIMENSIONI
ISO 10545/2 - SIZES
Conforme | Compliant

ISO 10545/3 - ASSORBIMENTO ACQUA
ISO 10545/3 - WATER ABSORPTION
> 10%



ISO 10545/13 - RESISTENZA ALL'ATTACCO CHIMICO
ISO 10545/13 - CHEMICAL RESISTANCE
Conforme | Compliant

ISO 10545/4 - RESISTENZA ALLA FLESSIONE
ISO 10545/4 - MODULUS OF RUPTURE
Conforme | Compliant

3D Forms - Fluted

P
PIASTRELLE DA RIVESTIMENTO IN PASTA BIANCA
WHITE-BODY WALL TILES



ISO 10545/11 - RESISTENZA AL CAVILLO
ISO 10545/11 - GLAZE CRAZING RESISTANCE

Resistente | Resistant

ISO 10545/2 - DIMENSIONI
ISO 10545/2 - SIZES
Conforme | Compliant

ISO 10545/3 - ASSORBIMENTO ACQUA
ISO 10545/3 - WATER ABSORPTION
> 10%



ISO 10545/13 - RESISTENZA ALL'ATTACCO CHIMICO
ISO 10545/13 - CHEMICAL RESISTANCE

Conforme | Compliant

ISO 10545/4 - RESISTENZA ALLA FLESSIONE
ISO 10545/4 - MODULUS OF RUPTURE
Conforme | Compliant

Cluster

Caratteristiche tecniche
Technical features

	GRES PORCELLANATO PORCELAIN STONEWARE
	ISO 10545/2 - DIMENSIONI ISO 10545/2 - SIZES Conforme Compliant
	ISO 10545/3 - ASSORBIMENTO ACQUA ISO 10545/3 - WATER ABSORPTION < 0,5%
	ISO 10545/4 - MODULO DI ROTTURA ISO 10545/4 - MODULUS OF RUPTURE Conforme Compliant
	ISO 10545/4 - RESISTENZA ALLA FLESSIONE ISO 10545/4 - THERMAL EXPANSION COEFFICIENT Conforme Compliant
	ISO 10545/9 - RESISTENZA AGLI SBALZI TERMICI ISO 10545/9 - THERMAL SHOCK RESISTANCE Resistente - Nessuna alterazione visibile Resistant - No visible alteration

	RESISTENZA ALLO SCI VOLAMENTO SKID RESISTANCE Disponibile su richiesta Available on request
	10545/12 - RESISTENZA AL GELO ISO 10545/12 - FROST RESISTANCE Conforme Compliant
	ISO 10545/13 - RESISTENZA ALL'ATTACCO CHIMICO ISO 10545/13 - CHEMICAL RESISTANCE Da GLA a GLB From GLA to GLB Da GHA a GHB From GHA to GHB GA
	ISO 10545/4 - RESISTENZA ALLE MACCHIE ISO 10545/4 - STAIN RESISTANCE Classe 3 min Minimum Class 3 Conforme Compliant
	RESISTENZA DEI COLORI ALLA LUCE COLOR RESISTANCE TO LIGHT NESSUNA VARIAZIONE - NO CHANGE OF COLOURS

Joint

	GRES PORCELLANATO PORCELAIN STONEWARE
	ISO 10545/2 - DIMENSIONI ISO 10545/2 - SIZES Conforme Compliant
	ISO 10545/3 - ASSORBIMENTO DELL'ACQUA ISO 10545/3 - WATER ABSORPTION < 0,5%
	ISO 10545/9 - RESISTENZA AGLI SBALZI TERMICI ISO 10545/9 - THERMAL SHOCK RESISTANCE Resistente - Nessuna alterazione visibile Resistant - No visible alteration
	RESISTENZA ALLO SCI VOLAMENTO SLIP RESISTANCE DIN 51130 R10 ANSI A137-1 DCOF > 0,42
	RESISTENZA DEI COLORI ALLA LUCE COLOR RESISTANCE TO LIGHT NESSUNA VARIAZIONE - NO CHANGE OF COLOURS

Caratteristiche tecniche
Technical features

Familiar

Caratteristiche tecniche
Technical features

	GRES PORCELLANATO PORCELAIN STONEWARE
	ISO 10545/2 - DIMENSIONI ISO 10545/2 - SIZES Conforme / Compliant
	ISO 10545/3 - ASSORBIMENTO ACQUA ISO 10545/3 - WATER ABSORPTION < 0,5%
	ISO 10545/9 - RESISTENZA AGLI SBALZI TERMICI ISO 10545/9 - THERMAL SHOCK RESISTANCE Resistente - Nessuna alterazione visibile Resistant - No visible alteration
	RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE DIN 51130 R10 ANSI A137-1 DCOF > 0,42

	ISO 10545/12 - RESISTENZA AL GELO ISO 10545/12 - FROST RESISTANCE Resistente - Nessuna alterazione visibile Resistant - No visible alteration
	ISO 10545/13 - RESISTENZA ALL'ATTACCO CHIMICO ISO 10545/13 - CHEMICAL RESISTANCE Da GLA a GLB From GLA to GLB Da GHA a GHB From GHA to GHB GA
	ISO 10545/14 - RESISTENZA ALLE MACCHIE ISO 10545/14 - STAIN RESISTANCE Classe 3 min Minimum class 3 Conforme Compliant
	RESISTENZA DEI COLORI ALLA LUCE COLORS RESISTANCE TO LIGHT NESSUNA VARIAZIONE - NO CHANGE OF COLORS

Perlinato

Caratteristiche tecniche
Technical features

	BICOTTURA IN PASTA BIANCA WHITE BODY DOUBLE FIRING
	ISO 10545/2 - DIMENSIONI ISO 10545/2 - SIZES Conforme / Compliant
	ISO 10545/3 - ASSORBIMENTO ACQUA ISO 10545/3 - WATER ABSORPTION > 10%

	ISO 10545/14 - RESISTENZA ALLE MACCHIE ISO 10545/14 - STAIN RESISTANCE Classe 3 min Minimum class 3 Conforme Compliant
	RESISTENZA DEI COLORI ALLA LUCE COLORS RESISTANCE TO LIGHT NESSUNA VARIAZIONE - NO CHANGE OF COLORS

I pezzi ceramici contenuti in queste scatole sono il risultato di un prodotto artigianale fabbricato a mano e si caratterizzano per l'esclusività e le piccole variazioni di continuità, tramatura e calibro tra i vari pezzi. Eventuali leggeri difetti superficiali sono da considerarsi parte integrante dell'artigianalità del prodotto. I toni presenti all'interno delle campionature sono da ritenersi indicativi e possono variare leggermente tra una produzione e l'altra.
Non si accetteranno reclami una volta posato il prodotto.

The exclusive ceramic products contained in these boxes are handmade and characterized by a slight variation in texture and calibre among different pieces. Any slight surface defects are possible and are considered an inherent characteristic of this handmade product. The shades of samples are indicative as they may vary slightly across production lots.
No claims will be accepted once the product has been laid.

Microtiles

Caratteristiche tecniche
Technical features

	GRES PORCELLANATO NON SMALTATO UNGLAZED PORCELAIN STONEWARE Matt and Mix		ISO 10545/12 - RESISTENZA AL GELO ISO 10545/12 - FROST RESISTANCE Resistente - Resistant
	ISO 10545/2 - DIMENSIONI ISO 10545/2 - SIZES Conforme / Compliant		ISO 10545/13 - RESISTENZA ALL'ATTACCO CHIMICO ISO 10545/13 - CHEMICAL RESISTANCE Da ULA a ULB From ULA to ULB Da UHA a UHB From UHA to UHB UA
	ISO 10545/3 - ASSORBIMENTO ACQUA ISO 10545/3 - WATER ABSORPTION < 0,5%		
	ISO 10545/9 - RESISTENZA AGLI SBALZI TERMICI ISO 10545/9 - THERMAL SHOCK RESISTANCE Resistente - Nessuna alterazione visibile Resistant - No visible alteration		ISO 10545/14 - RESISTENZA ALLE MACCHIE ISO 10545/14 - STAIN RESISTANCE Classe 3 min / Minimum class 3 Conforme Compliant
	RESISTENZA ALLO SCI VOLAMENTO SLIP RESISTANCE DIN 51130 R10 ANSI A137-1 DCOF > 0,42		RESISTENZA DEI COLORI ALLA LUCE COLORS RESISTANCE TO LIGHT NESSUNA VARIAZIONE - NO CHANGE OF COLORS

Micromosaics

Caratteristiche tecniche
Technical features

	GRES PORCELLANATO opachi e miscele PORCELAIN STONEWARE matt and mix		RESISTENZA ALL'ATTACCO CHIMICO RESISTANCE TO ACIDS AND ALKALIS Da ULA a ULB From ULA to ULB Da UHA a UHB From UHA to UHB UA	
	GRES PORCELLANATO SMALTATO lucidi GLAZED PORCELAIN STONEWARE glossy		ASSORBIMENTO ACQUA WATER ABSORPTION ≤ 0,3% ≤ 0,26% - solo White / only White Un basso assorbimento d'acqua garantisce l'utilizzo dei nostri materiali anche per uso esterno. Low water absorption allows our materials to be used also outdoor.	
			RESISTENZA AL GELO FROST RESISTANCE Resistente - Resistant	
				RESISTENZA ALLO SCI VOLAMENTO SKID RESISTANCE MATT DIN 51130 R11 ANSI A137-1 DCOF > 0,42

AVVERTENZA
NOTICE

Per Microtiles Glaze e Mix Glaze è sconsigliata
la posa a pavimento.
Floor laying is not recommended for Microtiles Glaze
and Mix Glaze families.

Le soluzioni visive per l'arredamento Micropapers vengono realizzate interamente in Italia e rispondono alle normative europee per la salute e la tutela dell'ambiente.

Il supporto è formato da due strati.

Il lato superiore è in vinile, il lato stampabile, e nel retro uno strato di TNT (tessuto non tessuto) che conferisce le seguenti caratteristiche al prodotto:

- Inassorbente e inodore;
- Lavabile con acqua e sapone neutro;
- Ignifugo;
- Elevata stabilità dimensionale durante le fasi di applicazione e asciugatura del prodotto;
- Facilità di montaggio e di eventuale rimozione del prodotto.

Per l'applicazione del materiale vinilico Micropapers si richiede un sottofondo idoneo (liscio, poroso e trattato con un primer aggrappante) per evitare possibili contestazioni.

Mapei. Glicovil

DESCRIZIONE DEL PRODOTTO

Adesivo a base di amidi modificati per rivestimenti murali di ogni tipo.

CAMPI D'IMPIEGO

Glicovil è idoneo per l'incollaggio a parete di rivestimenti murali di ogni tipo su supporto in carta su tutti i sottofondi assorbenti usati in edilizia come ad esempio:

- intonaci di cemento;
- malta bastarda;
- gesso, gesso cartonato.

CARATTERISTICHE TECNICHE

Glicovil è un adesivo a base di amidi modificati, a spalmatura semplice che si presenta sotto forma di piccole scaglie bianche, facilmente disperdibili in acqua. Glicovil è facilmente applicabile a rullo o a spatola. Glicovil non è infiammabile e non contiene sostanze tossiche; pertanto può essere immagazzinato senza particolari accorgimenti e può essere utilizzato senza pericoli per la salute.

PREPARAZIONE DELL'ADESIVO.

Agitare l'acqua con trapano a media velocità e versare velocemente il contenuto del sacchetto.
Diluire Glicovil con circa 5-7 litri di acqua (variabile a seconda della grammatura del rivestimento).

Lasciare riposare per 5 minuti e poi agitare nuovamente.
Glicovil è pronto in 10-15 minuti.

Dosaggio: 4-5 litri - Resa: 4-5 rotoli

Micropapers. istruzioni di montaggio

Per l'applicazione del materiale vinilico Micropapers si richiede un sottofondo idoneo (liscio, poroso e trattato con un primer aggrappante) per evitare possibili contestazioni.

1 Controllo primo rollo

Misurare il primo rollo per assicurarsi che esso sia di 10 cm più lungo rispetto all'altezza della parete.

Questa abbondanza è necessaria a compensare eventuali fuori piombo della parete, e verrà tagliata una volta posata la carta.

2 Tracciare le guide

Con le istruzioni di posa davanti tracciate sul muro la fine di ogni rollo con una matita. Alle due estremità, sinistra e destra, deve rimanere un po' di abbondanza per compensare un eventuale fuori piombo della parete.

3 Preparare la colla

La colla è calcolata appositamente per la superficie da rivestire. Sulla busta è indicata la quantità d'acqua con cui diluire la colla. Versare la colla in un recipiente e poi aggiungere l'acqua. Mescolate in modo continuo per evitare il formarsi di grumi. Per un miglior risultato preparare 24h prima dell'utilizzo.

4 Applicare la colla

Utilizzando un rullo, stendete la colla sul muro in modo omogeneo per la larghezza di un telo.

5 Stendere i teli

Iniziando dal secondo (2°) telo, stendete i teli successivi, dall'alto verso il basso, utilizzando l'apposita spatola da tappezziere avendo cura di non rovinare la carta. Al termine del montaggio, tagliare le eccedenze utilizzando un cutter.

6 Pulire la parete

Con una spugna non abrasiva, ripulite da eventuali residui di colla con acqua.

The visual solutions for the Micropapers. furnishings are carried out entirely in Italy and meet the European standards for health and environmental protection.

The support where the graphics' subjects are printed is a vinyl with a layer of TNT (non-woven fabric) on the back that confers the following characteristics to the product:

- Non-absorbent and odourless;
- Washable with mild soap and water;
- Fire resistant;
- High dimensional stability during the application and drying stages of the product;
- Extremely easy to put up and take down if necessary.

For the application of the vinyl material Micropapers a suitable substrate is required (smooth, porous and treated with a clinging primer) to avoid possible disputes.

Mapei. Glicovil

PRODUCT DESCRIPTION

Modified starch-based adhesive for all types of wall coatings.

WHERE TO USE

Glicovil is suitable for bonding all kinds of paper-backed coating materials on walls on all absorbent substrates normally used in the building industry, such as:

- cement render;
- lime-mortar render;
- gypsum and plasterboard.

TECHNICAL SPECIFICATIONS

Glicovil is a modified starch-based adhesive which is easy to apply. It is available in the form of small, white flakes which dissolve quickly in water.

Glicovil is easy to apply using a roller or trowel.

Glicovil is not inflammable and does not contain hazardous substances. No special precautions need to be taken for storage purposes, and it may be used without any health risk.

PREPARATION OF THE ADHESIVE.

Mix the water with a medium-speed drill while quickly adding the contents of the sack.

Dilute Glicovil with approximately 5 to 7 lt. of water (the amount varies according to the weight of the coating).

Let the product stand for 5 minutes and then mix again.

Glicovil is ready in 10-15 minutes.

Dosage: 4-5 litres - Yield: 4-5 rolls

Micropapers. installation instructions

To avoid any possible complaints, a proper background base is required to install Micropapers vinyl wall coverings (smooth, porous and treated with clinging primer).

1 Check the first roll

Measure the first roll to check 5 cm, that it is 10 cm longer than the height of the wall. This excess is necessary to compensate if the wall is out of plumb, and will be trimmed once the paper has been applied.

2 Mark guides

With the application instructions in front of you, use a pencil to mark the end of each roll on the wall. There should be a little excess paper at the two ends – left and right – to compensate if the wall is out of plumb.

3 Preparing the adhesive

The quantity of adhesive has been specially calculated for the surface to be covered. The amount of water needed to dilute the adhesive is given on the pack. Pour the adhesive into a container and then add the water. Stir continuously to prevent the formation of lumps. For a better result, prepare the adhesive 24H before its use.

4 Applying the adhesive

Using a roller, spread the adhesive evenly onto the wall for the width of one sheet.

5 Applying the sheets

Starting from the second (2nd) sheet, apply the subsequent sheets from top to bottom, using the papering spatula and taking care not to ruin the paper. After applying all the sheets, use a cutter to trim the excess.

6 Clean the wall

Clean off any excess glue using water and a non-abrasive sponge.

1. CONTROLLO MATERIALE

Controllare che il materiale sia sufficiente per completare il lavoro. In caso contrario ordinare materiale della stessa partita (stesso tono e produzione).

2. RASATURA DELLA PARETE

Il sottobordo deve essere perfettamente rasato (liscio) e uniforme in quanto il mosaico, avendo dimensioni ridotte, legge anche le più piccole asperità del sottobordo.

3. STESURA DEL PRIMER

Prima di applicare la colla, stendere sulla parete (o pavimento) un Primer scelto tra quelli attualmente in commercio. Tale operazione, rallentando l'indurimento della colla, consente di stendere il collante su di una più ampia superficie (e di utilizzarne una più modesta quantità).

4. STESURA DEL COLLANTE

Preparare il collante e stenderne un primo strato utilizzando la parte liscia della spatola. La quantità deve essere tale da consentire la posa di oltre un metro quadro di materiale. Con una spatola avente una dente di 3 mm di larghezza e 2,5 mm di altezza pettinare con attenzione la colla mediante una doppia spalmatura: sia la superficie da rivestire che il retro del foglio di mosaico.

5. PREPARAZIONE DEL MATERIALE (solo per Micromosaics.)

Per una posa davvero ottimale, si possono eventualmente rifilare i fogli di mosaico asportando/tagliando la fila di cubetti più esterna di ognuno dei quattro lati del modulo (non obbligatorio).

6. POSA DEL MATERIALE

Posare il materiale sfalsando i fogli in modo casuale verificando che la distanza tra i fogli sia la stessa di quella che esiste tra un tassello e l'altro.

7. BATTITURA DEL MATERIALE

Terminata la posa, battere il materiale con la spatola in ferro (e non con il frettazzo in gomma) e massaggiare con le dita i bordi là dove il materiale tende ad alzarsi anche dopo la battitura. Questa importante operazione fa sì che non si legga il modulo del foglio.

IMPORTANTE: Prima di battere il materiale verificare che la colla abbia iniziato ad asciugarsi staccando uno spigolo qualsiasi del foglio di mosaico dal muro. Quando questa operazione diventa più difficoltosa è il momento di iniziare a battere il materiale.

8. REGISTRAZIONE DEL MATERIALE

Ultimata la posa e prima dell'asciugatura della colla regolare, dove serve, la distanza tra le tessere al fine di uniformare tutte le fughe. Questa operazione viene fatta tagliando la rete con un taglierino e muovendo le tessere con un cazzuolino o altro strumento sufficientemente sottile.

9. RIMOZIONE COLLANTE

Eventuali tracce di adesivo presenti sulla superficie del mosaico devono essere rimosse prima del suo completo indurimento utilizzando una spugna inumidita.

10. ASCIUGATURA COLLA

A questo punto lasciare asciugare per 24/48 ore prima della operazione di stuccatura.

11. RIMOZIONE COLLA IN ESUBERO

Prima dell'operazione di stuccatura rimuovere dove serve la colla fuoriuscita dalle fughe.

12. PROTEZIONE DEL MATERIALE (obbligatorio per il colore WHITE)

Su tutti i Micromosaics, opachi e mix (no glossy) prima della stuccatura, è consigliabile la stesura con pennellolessa dell'impregnante Fila MP 90. Questo consente, chiudendo qualsiasi porosità, di poter rimuovere lo stucco con facilità.

13. STUCCATURA DEL MATERIALE

Almeno dopo 24 ore dall'applicazione del FILA MP90 utilizzare gli stucchi consigliati andando a stuccare il materiale. Rimuovere lo stucco in eccesso prima che lo stesso si indurisca.

14. PULIZIA DEL MATERIALE

Con una spugna, prima che lo stucco si indurisca, lavare con abbondante acqua il materiale. Ripetere l'operazione più volte fino alla rimozione totale dello stucco dalla superficie delle tessere. Per rimuovere residui di stucco epossidico usare il detergente Fila PS/87, Litonet Gel o Litonet Pro, versare il prodotto puro, lasciare agire 15/20 minuti, strofinare con disco o spugna abrasiva e risciacquare. Nel caso si utilizzasse stucco a base cementizio si consiglia almeno dopo 24 ore dalla stuccatura di utilizzare il detergente acido Deterdek diluito 1:5 in acqua. Versare la soluzione, lasciare agire 5/6 minuti, strofinare con disco color verde o spugna abrasiva e risciacquare. Per la serie Glossy non utilizzare il detergente Fila PS/87 puro perché danneggia lo smalto.

15. MANUTENZIONE

Per la manutenzione ordinaria lavare con il detergente neutro Fila Cleaner diluito 1:200 (1/2 tazzina da caffè in 5 litri di acqua) utilizzando uno straccio umido che andrà sciacquato spesso nella soluzione. Per sporchi più intensi usare il detergente Fila PS/87 diluito. Risciacquando al termine del lavaggio.

1. CHECK YOUR MATERIAL

Make sure you have enough material to finish the job. If not, order material from the same batch (same tone and production run).

2. SHAVING THE WALL

The foundation must be completely shaved (smooth) and even. Mosaics are small which means they will show up even with the slightest roughness on the surface underneath.

3. APPLYING THE PRIMER

Before applying the glue, apply a primer currently available on sale on the wall (or on the floor). As this delays the hardening, the glue can be applied on a larger surface (and coverage increases consequently).

4. APPLYING THE GLUE

Prepare the glue and apply the first layer, using the smooth part of the spatula. You must use enough to allow the laying of about more than one square metre of material. Use a comb spatula with teeth 3 mm wide and 2,5 mm high to apply the adhesive, spreading two layers: one on the surface to be tiled and one on the back of the mosaic sheet.

5. PREPARING THE MATERIAL (only for Micromosaics.)

For the best fixing, the mosaic sheets can be possibly trimmed by removing/cutting the most external row of cubes in each of the four sides (not mandatory).

6. LAYING THE MOSAICS

Lay the mosaic by casually staggering the pieces, taking care that the distance between sheets is the same as the distance between one mosaic tile and the next.

7. SMOOTHING THE MOSAICS

After laying, smooth the mosaics with the iron spatula (not the rubber scraper) and using your fingers, press the edges of the material where it tends to rise even after smoothing. This important step ensures that you cannot see the join of the sheet.

IMPORTANT: Before tapping the mosaic down, check that the adhesive has begun to set by pulling up any corner of the mosaic sheet from the wall.

The time to begin tapping the mosaic is when it starts to become difficult to detach the sheet.

8. FIXING THE MOSAICS

Once laying is complete, and before the adhesive dries, where necessary, adjust the distance between tiles so that all the joins are the same. You should do this by cutting the mesh with a cutter and moving the tiles with a small trowel or other sufficiently fine instruments.

9. REMOVING THE GLUE

Any traces of glue left on the surface of the mosaic must be removed before it dries completely, using a damp sponge.

10. DRYING THE GLUE

Before grouting, you have to leave the glue to dry for 24-48 hours.

11. REMOVING EXCESS GLUE

Before proceeding with the grouting, remove any excess glue from the joints.

12. PROTECTING THE MOSAICS (mandatory for WHITE material)

On all opaque and mixed (no glossy) Micromosaics, it is advisable to apply Fila MP 90 impregnating agent with a brush before grouting. This closes any porosity and makes it easy to remove the filler.

13. GROUTING

Wait at least 24 hours after the application of FILA MP90, then use the recommended grouts to grout the mosaics. Remove any excess grout before it hardens.

14. CLEANING THE MOSAICS

Using a sponge, wash the mosaics thoroughly with water before the grout hardens. Repeat this operation several times until all the grout has been removed from the mosaic surface. Use Fila PS/87, Litonet Gel or Litonet Pro detergent to remove any remaining residues of epoxy grout. Pour the product on undiluted, leave it to work for 15-20 minutes, and then remove it with a disc or abrasive sponge before rinsing again. If you are using a cement-based grout, wait at least 24 hours after grouting before using Deterdek acid detergent diluted 1:5 in water. Pour the diluted solution on, leave it to work for 5-6 minutes, then rub off with a green disc or an abrasive sponge before rinsing again. Do not use undiluted Fila PS/87 detergents on Glossy series surfaces, since they can damage the glaze.

15. MAINTENANCE

For normal cleaning purposes wash the surface down with Fila Cleaner neutral detergent diluted to a ratio of 1:200 (1/2 a coffee cup to 5 litres of water) using a damp cloth and rinsing the cloth frequently in the solution. For tougher dirt use diluted Fila PS/87 detergents. Always rinse down after washing.

Product design and Photography:
Roberto Cicchinè
D-Segno Studio

Rendering 3D: Reality
Thanks to: Sbizzurà, Design? Studio
Associato, Eusebi Arredamenti,
Very Simple Kitchen,
Fam. Malavolta Roberto
Fam. Augello Luciano
Ristorante "La Magnana"
Koinema società Coop.Sociale
Radice Quadrata, unopervolta, Mercatino
Usato (San Benedetto del Tronto),
Trullo "Resolana" Castellana a Grotte (BA)
Lab36, M+T architetti - Uliveus
Prospero Ristorante, Lo Studio,
Koinema - Società' Coop. Sociale,
SSAM small artisan manufactures
'Contekst Interior Architects'
'Evenbeeld'.


Printed in March 2023
All rights reserved ©

Micro. is a brand of
Terratinta Group Srl SB

Via Viazza Il Tronco, 45
41042 Fiorano Modenese MO
ITALY
+39 0536 911408
www.terratinagroup.com

TERRATINTA
group





Micro.